

| | Type | Hits |
|-----------|-----------------|---------------|
| 1 | BRS | 5562 |
| 2 | BRS | 28667 |
| 3 | BRS | 29694 |
| 4 | BRS | 691498 |
| 5 | BRS | 188915 |
| 6 | BRS | 3 |
| 7 | BRS | 151818 |
| 8 | BRS | 2658 |
| 9 | BRS | 2 |
| 10 | IS&R | 10 |
| 11 | IS&R | 31 |

| | Search Text |
|-----------|---|
| 1 | rf and transponder |
| 2 | current adj2 mirror |
| 3 | (measurement or measuring) near3 (capacitor or capacitive or capacitance or impedance) |
| 4 | transistor |
| 5 | logic near4 circuit |
| 6 | S1 and S2 and S3 and S4 |
| 7 | current adj2 source |
| 8 | relaxation adj3 oscillator |
| 9 | S6 and S7 and S8 |
| 10 | (("5,824,891") or ("5,731,754") or ("5,706,565") or ("5,661,651") or ("5,581,023") or ("5.562,787") or ("5,540,092") or ("5,528,452") or ("5,541,959") or ("5,418,358") or ("5,368,082")).PN. |
| 11 | (("5,824,891") or ("5,731,754") or ("5,706,565") or ("5,661,651") or ("5,581,023") or ("5.562,787") or ("5,540,092") or ("5,528,452") or ("5,541,959") or ("5,418,358") or ("5,368,082") or ("5,297,424") or ("5,285,189") or ("5,231,872") or ("5,230,243") or ("5,140,851") or ("5,054,315") or ("5,050,110") or ("4,966,034") or ("4,909,074") or ("4,893,110") or ("4,703,650") or ("4,701,826") or ("4,695,823") or ("4,578,992") or ("4,567,459") or ("4,335,283") or ("4,317,216") or ("4,174,515") or ("4,126,772") or ("3,893,228") or ("3,596,509")).PN. |

| | DBs | Time Stamp |
|-----------|---|-------------------------|
| 1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:40 |
| 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:41 |
| 3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:41 |
| 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:42 |
| 5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:42 |
| 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:44 |
| 7 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:44 |
| 8 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/12/21 20:45 |
| 9 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 10 | US-PGPUB; USPAT | 2005/04/03 16:10 |
| 11 | US-PGPUB; USPAT | 2005/04/03 16:11 |

| | Type | Hits |
|-----------|-----------------|---------------|
| 12 | BRS | 5931 |
| 13 | BRS | 2681 |
| 14 | BRS | 0 |
| 15 | BRS | 0 |
| 16 | BRS | 3 |
| 17 | BRS | 3 |
| 18 | BRS | 29614 |
| 19 | BRS | 30789 |
| 20 | BRS | 710266 |
| 21 | BRS | 4 |
| 22 | BRS | 155897 |
| 23 | BRS | 3 |
| 24 | IS&R | 0 |
| 25 | IS&R | 0 |
| 26 | IS&R | 0 |
| 27 | IS&R | 0 |

| | Search Text |
|-----------|--|
| 12 | rf and transponder |
| 13 | relaxation adj3 oscillator |
| 14 | S11 and S12 and S13 |
| 15 | S11 and S13 |
| 16 | S11 and S12 |
| 17 | S11 and S12 and oscillator |
| 18 | current adj2 mirror |
| 19 | (measurement or measuring) near3 (capacitor or capacitive or capacitance or impedance) |
| 20 | transistor |
| 21 | S12 and S18 and S19 and S20 |
| 22 | current adj2 source |
| 23 | S21 and S22 and oscillator |
| 24 | (("EP,832,765") or ("ep,583,690") or ("ep,473,569") or ("fr2,764,977")).PN. or (W001/43999).CCLS. |
| 25 | (("EP,832,765") or ("ep,473,569") or ("ep473569") or ("fr2,764,977")).PN. or (W001/43999).CCLS. |
| 26 | (("EP,832,765") or ("ep,473,569") or ("ep473569") or ("fr2,764,977")).PN. or (W001/43999).CCLS. |
| 27 | (("EP,832,765") or ("ep,473,569") or ("ep473569") or ("fr2,764,977")).PN. or (Wo01/43999).CCLS. |

| | DBs | Time Stamp |
|-----------|---|-------------------------|
| 12 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:17 |
| 13 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:17 |
| 14 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:17 |
| 15 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 16 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 18 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 19 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 20 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 21 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 22 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:18 |
| 23 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:57 |
| 24 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:27 |
| 25 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:27 |
| 26 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:27 |
| 27 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:27 |

| | Type | Hits |
|-----------|-----------------|-------------|
| 28 | BRS | 2 |
| 29 | BRS | 368 |
| 30 | BRS | 61 |
| 31 | BRS | 307 |
| 32 | IS&R | 1592 |
| 33 | IS&R | 651 |
| 34 | IS&R | 4379 |

| | Search Text |
|-----------|--|
| 28 | S23 and (set or setting or reset or resetting) near6 circuit |
| 29 | S12 and oscillator and "455"/\$.ccls. |
| 30 | S12 and oscillator and "455"/\$.ccls. |
| 31 | S12 and oscillator and "455"/\$.ccls. |
| 32 | ((340/635) or (340/657) or (340/514)).CCLS. |
| 33 | (340/664).CCLS. |
| 34 | ((340/635) or (340/657) or (340/514) or (340/664) or (340/572.1) or (340/442) or (340/447)).CCLS. |

| | DBs | Time Stamp |
|-----------|---|-------------------------|
| 28 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:31 |
| 29 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/04/03 16:59 |
| 30 | US-PGPUB | 2005/04/03 17:00 |
| 31 | USPAT | 2005/04/03 17:01 |
| 32 | US-PGPUB; USPAT | 2005/05/11 19:00 |
| 33 | US-PGPUB; USPAT | 2005/04/03 17:03 |
| 34 | US-PGPUB; USPAT | 2005/05/11 19:01 |